


If Father finds his mowing rather hard,  
suggest it is time he, too, owned a WEBB.  
The Lawnmower for lovely lawns with less effort.  
Famous for over 25 years.

*Details of Hand, Motor, Battery and Electric Models will  
gladly be sent by*

## **WEBB LAWNMOWERS LTD.**

TAME ROAD . WITTON . BIRMINGHAM 6  
ENGLAND


TEL. : 021-327 1216





*Just like*  
**DAD'S...**

# Webb

## MINIATURE LAWNMOWER FOR CHILDREN



Designed as a two-thirds model of the famous WEBB Lawnmower now used in almost every country in the world, this mower is a miniature working model for children and can be set and adjusted like a real WEBB Lawnmower.



The following instructions will help you to get the best out of your WEBB.

**Assembly** (see figures 1 and 2). A combined spanner-screwdriver is attached to handles and should first be removed. The handles are folded for convenience of packing and should be swivelled and secured with the two screws provided, inserting them from the outside. Fit to machine by placing forked ends over studs marked "B" and secure by nuts and bolts marked "A". The handles can be adjusted to convenient height before tightening up nuts "A". The grass box fits on to adjuster strips "D".

**Height of Cut** (see figure 2). This is adjusted by raising and lowering the front rollers. Graduations on the adjusting strips "D" on either side allow even setting. No. 3 from the top is normal. After adjustment lock up nuts "E" tightly.

**Cutting Cylinder Adjustment** (see figures 2 and 3). The bottom fixed blade should be in the barest contact with the cutting cylinder and touch evenly all along its length. To adjust, slack off pins "C" half a turn. Pressing delivery plate "F" backwards pivots the bottom blade and will raise the front edge and bring it closer in contact with the cutting cylinder. Carry out at both ends and lock up pins "C" tightly when complete. It is easiest to adjust if the cutting cylinder is positioned so that a cutting blade is brought into contact with the bottom blade at each end; as shown at points "G" on figure 3. Correct adjustment is when cutting cylinder is in lightest possible contact with bottom blade and still turns freely. If adjusted too hard, the mower will be hard to push and the belt will slip.

**Oiling.** Like all lawnmowers your WEBB will benefit from regular oiling of all moving parts. Keep oil off the belt. If storing the mower for any lengthy period, oil cutting edges.

**IMPORTANT.** As a safety precaution the design of this machine provides for the belt to slip if the cutting cylinder is obstructed. For this reason only a WEBB Belt should be used for replacement purposes.



Designed for use by children only,  
and obtainable from Departmental  
Stores and good class model shops.

## for children only

Made by:  
H. C. WEBB & Company Limited  
Tame Road,  
Birmingham 6,  
England.

Made by a firm famous for quality lawn mowers for 40 years. It is designed to give hours of fun and healthy outdoor exercise, whilst developing a sense of work as well as play. It enables the whole family to garden happily together. Made to 2/3rds size (8" cut) with four bladed cutting cylinder, the miniature mower is fully adjustable, including blades and handles, to ensure comfortable use by any size of child.